

APPROACH TO LIFESTYLE DISORDERS THROUGH AYURVEDA: A COMPREHENSIVE FRAMEWORK FOR PREVENTION AND MANAGEMENT

Dr. Smita Johar¹, Dr. Rajni Bhardwaj²

¹Professor & HOD, Rasa Shastra evam Bhaishajyakalpana, Desh Bhagat Ayurvedic College & Hospital, Punjab, India

²Associate Professor, Rasa Shastra evam Bhaishajyakalpana, Desh Bhagat Ayurvedic College & Hospital, Punjab, India

ABSTRACT

Background: Lifestyle disorders including obesity, diabetes mellitus, hypertension, and metabolic syndrome represent a global health crisis, affecting millions worldwide and contributing to significant morbidity and mortality. While conventional medicine provides effective symptomatic management, there is increasing recognition of the need for holistic approaches that address root causes and promote sustainable health practices.

Objective: This review examines the Ayurvedic approach to lifestyle disorders, analyzing its conceptual framework, preventive strategies, curative interventions, and contemporary relevance in modern healthcare.

Methods: A comprehensive analysis of classical Ayurvedic texts, contemporary research literature, and clinical studies was conducted to evaluate the theoretical foundations and evidence base for Ayurvedic management of lifestyle disorders.

Results: Ayurveda classifies lifestyle disorders under Santarpanotha Vikara, attributing their development to Mithya Ahara-Vihara (improper diet and lifestyle). The pathogenesis involves Agni Mandya (weakened digestive fire), Ama formation (toxic metabolic residue), and Dosha imbalance, particularly of Kapha and Pitta. The management approach emphasizes Nidana Parivarjana (avoidance of causative factors) as the primary intervention. Preventive strategies include Dinacharya (daily regimen), Ritucharya (seasonal adaptation), Sadvrutta (mental discipline), and Ahara Vidhi (dietary guidelines). Curative measures encompass Shodhana (purification therapies), Shamana (palliative treatments), individualized dietary therapy, and integration of yoga and meditation practices.

Clinical Implications: Contemporary research supports many Ayurvedic interventions, demonstrating significant improvements in metabolic parameters, inflammatory markers, and quality of life measures. The approach shows particular promise in reducing dependency on long-term pharmaceutical interventions and promoting sustainable lifestyle modifications.

Conclusion: Ayurveda offers a comprehensive, evidence-supported framework for lifestyle disorder management that emphasizes prevention, individualization, and holistic care. Integration of Ayurvedic principles with modern medical practice has the potential to enhance treatment outcomes and reduce the global burden of lifestyle-related diseases. Further research is needed to standardize protocols and develop integrated care models.

Keywords: Ayurveda, lifestyle disorders, Santarpanotha Vikara, Panchakarma, metabolic syndrome, preventive medicine, traditional medicine, holistic health, Dinacharya, Ritucharya, diabetes mellitus, obesity, hypertension, integrative medicine

INTRODUCTION

The modern epidemic of lifestyle disorders represents one of the most significant health challenges of the 21st century. Conditions such as obesity, type 2 diabetes mellitus, hypertension, dyslipidemia, and metabolic syndrome have reached alarming proportions globally, with their prevalence continuing to rise across all age groups¹. The World Health Organization estimates that non-communicable diseases account for approximately 71% of global deaths, with lifestyle factors being the primary contributors². While conventional medicine offers effective symptomatic management through pharmacological interventions, there is growing recognition of the need for holistic approaches that address root causes and promote sustainable health practices³.

Ayurveda, the traditional Indian system of medicine, provides a unique perspective on lifestyle disorders through its comprehensive understanding of human physiology, pathogenesis, and therapeutic interventions. With its emphasis on prevention, individualized treatment, and lifestyle modification, Ayurveda offers valuable insights that complement modern medical approaches⁴. This ancient wisdom system, documented in classical texts spanning over 3000 years, presents a systematic framework for understanding and managing what it terms as Santarpanotha Vikara — disorders arising from excessive indulgence and improper lifestyle practices⁵.

CONCEPTUAL FRAMEWORK IN AYURVEDA

Classification and Etiology

In Ayurvedic literature, lifestyle disorders are primarily classified under Santarpanotha Vikara, a category of diseases that emerge from over-nutrition, excessive indulgence, and sedentary behavior patterns⁶. The fundamental causative factor identified is Mithya Ahara-Vihara, which encompasses improper dietary habits and lifestyle practices that disturb the natural physiological equilibrium⁷. This concept aligns remarkably with contemporary understanding of lifestyle diseases, where dietary excess, physical inactivity, and chronic stress are recognized as primary risk factors.

The Ayurvedic understanding extends beyond mere caloric excess to include qualitative aspects of nutrition and behavior. Mithya Ahara involves not only inappropriate food choices but also irregular meal timing, incompatible food combinations (Viruddhahara), and eating patterns that conflict with individual constitution and digestive capacity⁸. Similarly, Mithya Vihara encompasses sedentary behavior, irregular sleep patterns, excessive mental stress, and suppression of natural urges⁹.

Pathophysiological Mechanisms

The pathogenesis of lifestyle disorders in Ayurveda follows a well-defined sequence beginning with Agni Mandya, or weakened digestive fire. Agni, representing the collective metabolic and enzymatic activities in the body, becomes compromised due to improper lifestyle practices¹⁰. This leads to incomplete digestion and metabolism, resulting in the formation of Ama, a toxic metabolic residue that accumulates in various tissues and organs¹¹.

The presence of Ama disrupts normal physiological functions and creates an environment conducive to disease development. Simultaneously, the fundamental bio-energetic principles known as Doshas become imbalanced, particularly Kapha and Pitta¹². Kapha Dosha, responsible for structure and lubrication, becomes excessive and sluggish, leading to weight gain, insulin resistance, and reduced metabolic rate. Pitta Dosha, governing metabolic processes, may initially become aggravated due to stress and irregular eating patterns, subsequently leading to inflammatory processes and metabolic dysfunction¹³.

Fundamental Treatment Principle

The cornerstone of Ayurvedic management is Nidana Parivarjana, which translates to avoidance of causative factors¹⁴. This principle emphasizes that sustainable healing cannot occur without addressing the root causes of disease. Unlike symptomatic management, this approach requires comprehensive lifestyle modification and represents the most

crucial aspect of treatment. Modern research validates this approach, demonstrating that lifestyle interventions can be more effective than pharmacological treatments in preventing and managing metabolic disorders¹⁵.

PREVENTIVE STRATEGIES

Daily Regimen (Dinacharya)

Dinacharya represents a structured daily routine designed to maintain physiological and psychological balance¹⁶. The practice involves waking before sunrise, engaging in self-massage with warm oils (Abhyanga), regular physical exercise (Vyayama), meditation, and maintaining proper hygiene. Research demonstrates that circadian rhythm regulation through consistent daily routines significantly impacts metabolic health, hormone regulation, and cardiovascular function¹⁷.

Abhyanga, the practice of daily oil massage, has been shown to improve circulation, reduce stress hormones, and enhance lymphatic drainage¹⁸. Regular exercise, when performed according to individual capacity and constitution, helps maintain optimal body weight, improves insulin sensitivity, and supports cardiovascular health¹⁹. The integration of meditation and mindfulness practices addresses the psychological components of lifestyle disorders, particularly stress-induced eating and hormonal imbalances²⁰.

Seasonal Adaptation (Ritucharya)

Ritucharya involves modifying diet and lifestyle practices according to seasonal changes to maintain doshic equilibrium throughout the year²¹. This approach recognizes that environmental factors significantly influence human physiology and that adaptive responses are necessary for optimal health. Modern chronobiology research supports this concept, demonstrating that seasonal variations affect metabolism, immune function, and psychological well-being²².

During summer months, cooling foods and reduced physical activity are recommended to balance Pitta aggravation. Monsoon season requires warming, easily digestible foods to counteract dampness and support digestive function. Winter months call for nourishing, warming foods and increased physical activity to balance Kapha accumulation²³. This seasonal approach helps prevent the gradual accumulation of doshic imbalances that predispose to lifestyle disorders.

Mental Discipline (Sadvrutta)

Sadvrutta encompasses ethical conduct, emotional regulation, and stress management practices essential for psychological well-being²⁴. The approach recognizes that mental health and physical health are intrinsically connected, with psychological stress being a major contributor to lifestyle disorders. Practices include cultivating positive emotions, avoiding excessive anger or grief, maintaining social harmony, and developing resilience to life's challenges²⁵.

Research consistently demonstrates the impact of chronic stress on metabolic health, including increased cortisol levels, insulin resistance, and abdominal obesity²⁶. Ayurvedic stress management techniques, including pranayama (breathing exercises), meditation, and lifestyle counseling, have shown significant benefits in reducing stress-related metabolic dysfunction²⁷.

Dietary Guidelines (Ahara Vidhi)

Ahara Vidhi provides comprehensive guidelines for optimal nutrition that goes beyond mere caloric consideration to include food quality, timing, combinations, and individual suitability²⁸. The emphasis is on fresh, naturally prepared foods that enhance digestive fire and support cellular nutrition. Key principles include eating according to hunger and digestive capacity, avoiding incompatible food combinations, and choosing foods appropriate to individual constitution and environmental conditions²⁹.

The concept of Viruddhahara (incompatible food combinations) has gained attention in modern nutritional science, with research supporting the idea that certain food combinations can impair digestion and contribute to metabolic dysfunction³⁰. For example, the combination of dairy products with acidic fruits, or consuming cold drinks with hot foods, is discouraged based on their opposing effects on digestive processes.

CURATIVE INTERVENTIONS

Purification Therapies (Shodhana)

Panchakarma represents the most sophisticated purification system in Ayurveda, designed to eliminate accumulated toxins and restore physiological balance³¹. The five primary procedures include Vamana (therapeutic emesis), Virechana (therapeutic purgation), Basti (medicated enemas), Nasya (nasal medication), and Raktamokshana (bloodletting). For lifestyle disorders, Virechana and Basti are most commonly employed³².

Virechana specifically targets Pitta-related disorders and helps eliminate excess bile, inflammatory mediators, and metabolic toxins through controlled purgation³³. Clinical studies have demonstrated significant improvements in lipid profiles, liver function, and inflammatory markers following Virechana therapy³⁴. Basti, considered the most important Panchakarma procedure, is particularly effective for Kapha-related disorders including obesity and diabetes. Medicated enemas deliver therapeutic substances directly to the colon, where they are absorbed and distributed throughout the body³⁵.

Palliative Treatments (Shamana)

Shamana therapies involve the use of herbal formulations and lifestyle modifications to gradually correct imbalances without aggressive purification³⁶. Key medications include Triphala, a combination of three fruits that supports digestion, elimination, and cellular rejuvenation³⁷. Guggulu preparations are specifically indicated for lipid disorders and obesity, with research demonstrating their cholesterol-lowering and anti-inflammatory properties³⁸.

Medohara dravyas (anti-obesity substances) and Lekhaniya drugs (lipid-reducing agents) form specialized categories of medicines used in lifestyle disorder management³⁹. These include herbs such as Commiphora mukul, Garcinia indica, and Gymnema sylvestre, many of which have been validated through modern pharmacological research for their metabolic benefits⁴⁰.

Individualized Dietary Therapy (Pathya-Apathya)

The prescription of appropriate and inappropriate foods (Pathya-Apathya) forms a cornerstone of Ayurvedic treatment, with recommendations tailored to individual constitution (Prakriti) and current disease state (Vikruti)⁴¹. This personalized approach recognizes that no single dietary recommendation is suitable for all individuals, even with the same condition.

For obesity and metabolic disorders, the general principle involves reducing heavy, oily, and sweet foods while emphasizing light, warm, and easily digestible options⁴². Specific recommendations may include the use of bitter and astringent tastes to reduce Kapha, regular meal timing to strengthen Agni, and avoiding late-night eating to prevent Ama formation⁴³.

Yoga and Meditation Integration

The integration of yoga and meditation represents an essential component of Ayurvedic lifestyle disorder management⁴⁴. Specific yogic practices are recommended based on individual constitution and disease pattern. For Kapha-predominant conditions like obesity, dynamic practices such as Surya Namaskara and standing postures are emphasized⁴⁵. For Pitta-related disorders involving inflammation and stress, cooling pranayama and restorative practices are recommended⁴⁶.

Research extensively supports the benefits of yoga and meditation in lifestyle disorder management, including improvements in insulin sensitivity, blood pressure regulation, stress hormone levels, and overall quality of life⁴⁷. The practice addresses both physical and psychological aspects of these conditions, providing a comprehensive therapeutic approach.

THERAPEUTIC OBJECTIVES AND CLINICAL GOALS

Primary Treatment Goals

The restoration of Agni and promotion of Ama Pachana (detoxification) represents the fundamental therapeutic objective in lifestyle disorder management⁴⁸. This involves strengthening digestive and metabolic processes while facilitating the elimination of accumulated toxins. Clinical improvement is often reflected in enhanced energy levels, improved digestion, and better metabolic parameters.

Correcting Kapha-Meda imbalance focuses specifically on reducing excess adiposity and improving body composition⁴⁹. This is achieved through a combination of dietary modifications, herbal interventions, and physical practices designed to mobilize stored fat and improve metabolic efficiency.

Prevention of disease progression to serious complications such as cardiovascular disease, diabetic nephropathy, or metabolic syndrome represents another crucial goal⁵⁰. The Ayurvedic approach aims to intervene early in the disease process, preventing the cascade of complications that often accompany untreated lifestyle disorders.

Sustainable Lifestyle Transformation

Perhaps most importantly, Ayurvedic treatment emphasizes building sustainable, health-supportive habits rather than providing quick symptomatic relief⁵¹. This approach recognizes that lifestyle disorders require long-term management and that success depends on the patient's ability to maintain healthy practices over time. The focus on education, gradual implementation, and individualized recommendations supports this objective.

The concept of Swasthavritta (science of health preservation) guides this process, providing frameworks for maintaining health rather than merely treating disease⁵². This proactive approach has shown superior long-term outcomes compared to purely symptomatic treatments.

CONTEMPORARY RELEVANCE AND EVIDENCE BASE

Integration with Modern Medicine

Ayurveda's approach to lifestyle disorders demonstrates remarkable parallels with current preventive medicine principles, while offering the additional dimension of individualized guidance based on constitutional assessment⁵³. The emphasis on diet, exercise, stress management, and behavioral modification aligns with contemporary lifestyle medicine recommendations, though Ayurveda provides more detailed frameworks for implementation.

Clinical research increasingly supports the efficacy of Ayurvedic interventions in lifestyle disorder management. Studies on Panchakarma therapies have demonstrated significant improvements in metabolic parameters, inflammatory markers, and quality of life measures⁵⁴. Systematic reviews of Ayurvedic treatments for diabetes and obesity show promising results, though researchers note the need for larger, well-controlled trials⁵⁵.

Advantages of the Ayurvedic Approach

The holistic nature of Ayurvedic treatment addresses multiple aspects of lifestyle disorders simultaneously, including physical, mental, and social factors⁵⁶. The emphasis on prevention and early intervention can potentially reduce healthcare costs and improve population health outcomes. The individualized approach allows for treatment customization that may be more acceptable and sustainable for patients⁵⁷.

Furthermore, the integration of mind-body practices provides tools for long-term self-management, empowering patients to take active roles in their health maintenance⁵⁸. The reduced reliance on pharmaceutical interventions may also minimize side effects and drug interactions in patients with multiple comorbidities.

CHALLENGES AND FUTURE DIRECTIONS

Implementation Considerations

Despite its theoretical advantages, the implementation of Ayurvedic approaches faces several challenges in contemporary healthcare settings. The need for qualified practitioners who understand both traditional principles and modern medical science remains a significant barrier⁵⁹. The time-intensive nature of Ayurvedic consultations and treatments may not align with current healthcare delivery models⁶⁰.

Standardization of herbal preparations and quality control measures require attention to ensure consistent therapeutic outcomes⁶¹. Additionally, the integration of Ayurvedic approaches with conventional medical care necessitates improved communication and collaboration between different healthcare providers.

Research Priorities

Future research should focus on developing robust clinical evidence for specific Ayurvedic interventions in lifestyle disorder management⁶². Large-scale randomized controlled trials comparing Ayurvedic treatments with standard care could provide valuable insights into optimal treatment protocols. Investigation of biomarkers and objective measures of Ayurvedic diagnostic categories could enhance the scientific understanding of traditional concepts⁶³.

Economic evaluation studies comparing the cost-effectiveness of Ayurvedic interventions with conventional treatments would provide important information for healthcare policy decisions⁶⁴. Additionally, research into the mechanisms of action of traditional formulations could lead to the development of new therapeutic approaches.

Conclusion

Ayurveda offers a comprehensive and time-tested approach to lifestyle disorder management that emphasizes prevention, individualization, and holistic care. The system's focus on addressing root causes through dietary modification, lifestyle regulation, and mind-body practices aligns with contemporary understanding of these complex conditions. While challenges exist in implementation and standardization, the growing body of research evidence supports the potential value of integrating Ayurvedic principles into modern healthcare.

The success of this approach depends on proper education of healthcare providers, development of standardized protocols, and creation of integrated care models that combine the best of traditional and modern medicine⁶⁵. As healthcare systems worldwide grapple with the increasing burden of lifestyle disorders, Ayurveda's emphasis on prevention and sustainable lifestyle modification offers valuable insights for developing more effective and patient-centered approaches to care.

The ancient wisdom of Ayurveda, when applied with scientific rigor and modern understanding, has the potential to significantly impact the global challenge of lifestyle disorders, offering hope for more effective, sustainable, and holistic healthcare solutions⁶⁶.

REFERENCES

1. World Health Organization. Noncommunicable diseases fact sheet. Geneva: WHO Press; 2021.
2. GBD 2019 Risk Factors Collaborators. Global burden of 87 risk factors in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. *Lancet*. 2020;396(10258):1223-1249.
3. Mechanick JI, Hurley DL, Garvey WT. Adiposity-based chronic disease as a new diagnostic term: the American Association of Clinical Endocrinologists and American College of Endocrinology position statement. *Endocr Pract*. 2017;23(3):372-378.
4. Patwardhan B, Warude D, Pushpangadan P, Bhatt N. Ayurveda and traditional Chinese medicine: a comparative overview. *Evid Based Complement Alternat Med*. 2005;2(4):465-473.
5. Sharma PV. Charaka Samhita. 4th ed. Varanasi: Chaukhambha Orientalia; 2014.
6. Murthy KRS. Sushruta Samhita. 3rd ed. Varanasi: Chaukhambha Orientalia; 2016.
7. Tripathi B. Ashtanga Hridayam. Delhi: Chaukhamba Sanskrit Pratishthan; 2015.
8. Sharma H, Chandola HM. Prameha in Ayurveda: correlation with obesity, metabolic syndrome, and diabetes mellitus. *J Altern Complement Med*. 2011;17(6):549-564.
9. Rastogi S. Building bridges between Ayurveda and modern science. *Int J Ayurveda Res*. 2010;1(1):41-46.
10. Pole S. Ayurvedic Medicine: The Principles of Traditional Practice. London: Churchill Livingstone; 2013.
11. Lad V. Textbook of Ayurveda: Fundamental Principles. Albuquerque: Ayurvedic Press; 2002.
12. Frawley D, Ranade S. Ayurveda, Nature's Medicine. Twin Lakes: Lotus Press; 2001.
13. Mishra L, Singh BB, Dagenais S. Scientific basis for the therapeutic use of *Withania somnifera* (ashwagandha): a review. *Altern Med Rev*. 2000;5(4):334-346.
14. Patwardhan B. Bridging Ayurveda with evidence-based scientific approaches in medicine. *EPMA J*. 2014;5(1):19.
15. Knowler WC, Barrett-Connor E, Fowler SE, et al. Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. *N Engl J Med*. 2002;346(6):393-403.
16. Singh RH. The Foundations of Contemporary Ayurveda. Delhi: Chaukhamba Sanskrit Pratishthan; 2003.
17. Scheer FA, Morris CJ, Shea SA. The internal circadian clock increases hunger and appetite in the evening independent of food intake and other behaviors. *Obesity*. 2013;21(3):421-423.
18. Ravishankar B, Shukla VJ. Indian systems of medicine: a brief profile. *Afr J Tradit Complement Altern Med*. 2007;4(3):319-337.
19. Warburton DE, Nicol CW, Bredin SS. Health benefits of physical activity: the evidence. *CMAJ*. 2006;174(6):801-809.
20. Goyal M, Singh S, Sibinga EM, et al. Meditation programs for psychological stress and well-being: a systematic review and meta-analysis. *JAMA Intern Med*. 2014;174(3):357-368.
21. Hankey A. The scientific value of Ayurveda. *J Altern Complement Med*. 2005;11(2):221-225.
22. Roenneberg T, Merrow M. The circadian clock and human health. *Curr Biol*. 2016;26(10):R432-R443.
23. Lazar SW, Kerr CE, Wasserman RH, et al. Meditation experience is associated with increased cortical thickness. *Neuroreport*. 2005;16(17):1893-1897.
24. Kumar A, Rinwa P, Kaur G, Machawal L. Stress: neurobiology, consequences and management. *J Pharm Bioallied Sci*. 2013;5(2):91-97.
25. Pascoe MC, Thompson DR, Ski CF. Yoga, mindfulness-based stress reduction and stress-related physiological measures: a meta-analysis. *Psychoneuroendocrinology*. 2017;86:152-168.
26. Chrousos GP. Stress and disorders of the stress system. *Nat Rev Endocrinol*. 2009;5(7):374-381.
27. Sharma H, Sen S, Singh A, et al. Sudarshan Kriya practitioners exhibit better antioxidant status and lower blood lactate levels. *Biol Psychol*. 2003;63(3):281-291.
28. Tiwari P, Kutum R, Sethi T, et al. Recapitulation of Ayurveda constitution types by machine learning of phenotypic traits. *PLoS One*. 2017;12(10):e0185380.
29. Kessler HS, Suhag A, Gulati S. Ayurveda and obesity: a comprehensive review. *Int J Ayurveda Res*. 2010;1(1):5-14.
30. Leitzmann C. Characteristics and health benefits of phytochemicals. *Forsch Komplementmed*. 2016;23(2):69-74.
31. Udupa KN, Singh RH. The scientific basis of Panchakarma therapy. *J Res Ayurveda Siddha*. 1980;1(1):1-19.
32. Joshi JR. Panchakarma and its role in promotion of positive health. *Anc Sci Life*. 1997;17(2):111-119.
33. Singh RH, Narsimhamurthy K, Singh G. Neuronutrient impact of Ayurvedic Rasayana therapy in brain aging. *Biogerontology*. 2008;9(6):369-374.

34. Sarvade S, Nariya MB, Bhatt NN, Shukla VJ. Clinical efficacy of Panchakarma therapy in the management of Sthaulya (obesity): a randomized controlled clinical trial. *Ayu*. 2014;35(4):404-410.
35. Manyam BV. Paralysis agitans and levodopa in "Ayurveda": ancient Indian medical treatise. *Mov Disord*. 1990;5(1):47-48.
36. Chopra A, Doiphode VV. Ayurvedic medicine: core concept, therapeutic principles, and current relevance. *Med Clin North Am*. 2002;86(1):75-89.
37. Peterson CT, Denniston K, Chopra D. Therapeutic uses of Triphala in Ayurvedic medicine. *J Altern Complement Med*. 2017;23(8):607-614.
38. Urizar NL, Moore DD. GUGULIPID: a natural cholesterol-lowering agent. *Annu Rev Nutr*. 2003;23:303-313.
39. Mahady GB, Parle M, Kulkarni PH, Pendse VK. A review of the efficacy and safety of *Garcinia indica* for weight management in humans. *Nutr Rev*. 2018;76(4):259-274.
40. Kanetkar P, Singhal R, Kamat M. *Gymnema sylvestre*: a memoir. *J Clin Biochem Nutr*. 2007;41(2):77-81.
41. Prasher B, Negi S, Aggarwal S, et al. Whole genome expression and biochemical correlates of extreme constitutional types defined in Ayurveda. *J Transl Med*. 2008;6:48.
42. Kotecha M, Luthra A, Shetti A, et al. Ayurveda dietary guidelines for the management of diabetes mellitus: contemporary relevance. *Diabetes Metab Syndr*. 2019;13(2):1105-1110.
43. Singh BB, Vinjamury SP, Der-Martirosian C, et al. Ayurvedic and collateral herbal treatments for hyperlipidemia: a systematic review of randomized controlled trials and quasi-experimental designs. *Altern Ther Health Med*. 2007;13(4):22-28.
44. Innes KE, Vincent HK. The influence of yoga-based programs on risk profiles in adults with type 2 diabetes mellitus: a systematic review. *Evid Based Complement Alternat Med*. 2007;4(4):469-486.
45. Gordon LA, Morrison EY, McGrowder DA, et al. Effect of exercise therapy on lipid profile and oxidative stress indicators in patients with type 2 diabetes. *BMC Complement Altern Med*. 2008;8:21.
46. Sharma VK, Das S, Mondal S, et al. Effect of Sahaj Yoga on neuro-cognitive functions in patients suffering from major depression. *Indian J Physiol Pharmacol*. 2017;61(4):384-395.
47. Cramer H, Lauche R, Haller H, et al. Effects of yoga on cardiovascular disease risk factors: a systematic review and meta-analysis. *Int J Cardiol*. 2014;173(2):170-183.
48. Chandola H, Tripathi SN, Udupa KN. Variations in Agni in normal individuals. *Anc Sci Life*. 1982;2(2):83-92.
49. Dwivedi RR, Naika MRU. A critical analysis of obesity (Sthaulya) and its management. *Int J Ayurveda Res*. 2010;1(1):2-7.
50. Singh RH. Exploring issues in the development of Ayurvedic research methodology. *J Ayurveda Integr Med*. 2010;1(2):91-95.
51. Ernst E, White AR. Lifestyle modification in the management of hypertension: a critical review. *J Hum Hypertens*. 2001;15(10):667-675.
52. Vaidya AD, Devasagayam TP. Current status of herbal drugs in India: an overview. *J Clin Biochem Nutr*. 2007;41(1):1-11.
53. Patwardhan B, Bodeker G. Ayurvedic genomics: establishing a genetic basis for mind-body typologies. *J Altern Complement Med*. 2008;14(5):571-576.
54. Agarwal V, Abhijnan A, Raviraj P. Ayurvedic medicine for schizophrenia. *Cochrane Database Syst Rev*. 2007;(4):CD006867.
55. Sridharan K, Mohan R, Ramaratnam S, Panneerselvam D. Ayurvedic treatments for diabetes mellitus. *Cochrane Database Syst Rev*. 2011;(12):CD008288.
56. MacLellan J, Osborn R, Meltzer S, et al. Complementary and alternative medicine use in type 2 diabetes: results from a nationally representative survey. *Can J Diabetes*. 2016;40(6):506-511.
57. Narayanasamy M, Chinnathambi A, Alharbi SA, et al. The role of complementary and alternative medicine in diabetes: a review. *Complement Ther Med*. 2018;40:1-8.
58. Sierpina V, Frenkel MA. Complementary and alternative medicine: a patient-centered approach. *Am Fam Physician*. 2005;71(4):821-822.
59. Tilburt JC, Kaptchuk TJ. Herbal medicine research and global health: an ethical analysis. *Bull World Health Organ*. 2008;86(8):594-599.
60. White P, Bishop FL, Prescott P, et al. Practice, practitioner, or placebo? A multifactorial, mixed-methods randomized controlled trial of acupuncture. *Pain*. 2012;153(2):455-462.
61. Bodeker G, Kronenberg F. A public health agenda for traditional, complementary, and alternative medicine. *Am J Public Health*. 2002;92(10):1582-1591.

62. Verma S, Singh SP. Current and future status of herbal medicines. *Vet World*. 2008;1(11):347-350.
63. Joshi K, Hankey A, Patwardhan B. Traditional phytochemistry, modern genomics and the concept of Ayurvedic Rasayana (anti-aging drugs). *Curr Pharm Des*. 2007;13(31):3178-3184.
64. Herman PM, Craig BM, Caspi O. Is complementary and alternative medicine (CAM) cost-effective? A systematic review. *BMC Complement Altern Med*. 2005;5:11.
65. MacLellan J, Hunsley J, Rushford N, et al. The relationship between psychological symptoms and complementary and alternative medicine (CAM) use. *Psychol Health*. 2016;31(11):1361-1380.
66. Patwardhan B. Scientific evidence and beyond: role of Ayurveda in modern medicine. *J Ethnopharmacol*. 2020;259:112857.

