

A Review on Cooling Tower Efficiency Enhancement & IOT Integration

Kiran Mahale¹, Ajay Temkar², Vishwas Lende³, Rohan Gadekar⁴, Dr. Sandip Nehe⁵

¹B.E, Mechanical Engineering, Samarth College of Engineering & Management, Belhe, Pune

²B.E, Mechanical Engineering, Samarth College of Engineering & Management, Belhe, Pune

³B.E, Mechanical Engineering, Samarth College of Engineering & Management, Belhe, Pune

⁴B.E, Mechanical Engineering, Samarth College of Engineering & Management, Belhe, Pune

Associate Professor, Dept. of Mechanical Engineering, Samarth College of Engineering & Management, Belhe, Pune

Abstract

Industrial cooling towers are widely employed to reject excess heat from processes, yet their performance often deteriorates due to ineffective air circulation and limited real-time monitoring. This project focuses on the design and development of a prototype cooling tower with enhanced efficiency through the integration of an ESP32-based control system and IoT connectivity. The physical model consists of a compact tower frame with a water distribution system, collection basin, and a top-mounted exhaust fan. A waterproof digital temperature sensor (DS18B20) is installed within the tower to monitor the air-water interaction zone. The ESP32 microcontroller continuously records temperature data and, when a rise beyond a defined threshold is detected, it automatically activates the exhaust fan to accelerate convective heat removal. To ensure user awareness and remote monitoring, the ESP32 simultaneously triggers a notification to a mobile device via an IoT platform whenever the fan is switched on. This integration not only improves cooling effectiveness by maintaining stable tower temperatures but also demonstrates the potential for predictive maintenance, reduced downtime, and optimized energy usage in industrial cooling operations. The prototype validates the combined benefits of traditional thermofluid design with modern automation and IoT, establishing a pathway toward smart, efficient, and connected industrial cooling solutions.

Keywords: Cooling Tower, IoT Integration, Real-Time Monitoring, Efficiency Enhancement

1. Introduction

Cooling towers play a crucial role in dissipating excess heat generated during industrial and power generation processes. They operate on the principle of evaporative cooling, where warm process water is distributed across the tower structure and exposed to air flow, leading to partial evaporation and a reduction in water temperature. The cooled water is then recirculated back into the system, maintaining thermal balance. The efficiency of a cooling tower directly impacts process stability, energy consumption, and equipment longevity. Inadequate cooling can result in overheating, reduced productivity, and even equipment failure. Traditionally, cooling towers have been designed as natural draft systems, relying solely on buoyancy-induced airflow, or as mechanical draft systems, where fans continuously drive air through the tower. While these approaches are effective, they also present limitations. Natural draft towers often provide insufficient cooling under high load conditions, while mechanical draft towers tend to waste energy by operating fans continuously, regardless of real-time thermal demand. Furthermore, most conventional towers lack intelligent monitoring or remote alert mechanisms, which can delay corrective action in case of thermal inefficiency or system malfunction. In recent years, the rapid growth of Industry 4.0 and the Industrial Internet of Things (IIoT) has enabled the development of smarter thermal management solutions. Microcontrollers like the ESP32 provide a powerful, low-cost platform that integrates sensor data acquisition, decision making algorithms, and wireless communication within a single device. By

leveraging IoT connectivity, it is possible to automate cooling tower operations, monitor performance remotely, and notify operators in real time about critical operating conditions. Such features not only reduce downtime but also contribute to energy optimization, improved safety, and predictive maintenance strategies. Whenever the sensor detects that the internal air–water mixture temperature exceeds a predefined threshold, the ESP32 activates the exhaust fan to accelerate cooling. Once the temperature falls below the threshold (considering hysteresis to avoid rapid cycling), the fan is switched off automatically. Simultaneously, the microcontroller utilizes its built-in Wi-Fi capability to send a notification to the user’s mobile device via IoT services such as IFTTT or MQTT-based platforms. This ensures that operators remain informed of tower operations in real time, even when away from the installation site. Beyond demonstrating the effectiveness of this prototype, the project contributes to a broad revision of smart, connected, and sustainable cooling infrastructure. The integration of IoT withdraw additional cooling tower design opens pathways to additional features such as cloud-based data logging, trend analysis, predictive fan scheduling, and AI-based thermal optimization. These advancements align with global priorities of reducing industrial energy consumption and enhancing operational reliability. Thus, the proposed system serves not only as a proof-of-concept prototype but also as a scalable framework that can be extended to full-scale industrial cooling towers. By bridging conventional thermofluid systems with IoT-driven smart control, this project demonstrates a practical approach to achieving efficiency enhanced.

2. Internet of Things (IOT)

Internet of things is an emerging technology which is using the “Internet” and has a goal to provide connectivity between physical devices around us. Examples of physical devices include home appliances such as the washing machine and refrigerator to any industrial equipment like the cooling ducts, BTU meters, sensors, etc. Using appropriate communication networks, these devices can provide valuable data and enable offering varied services for people. Let us take an example of controlling energy consumption of buildings in a smart fashion enables reduction of the energy costs. IoT has a wide range of applications from manufacturing to logistics and construction industry. IoT is also widely applied in energy monitoring and managing, healthcare systems and services, efficient management of energy, locations sensing and many others [6]. When planning an IoT application which is the first step in designing IoT systems, the selection of components of IoT such as sensor device, communication protocol, data storage and calculation needs to be appropriate for the intended application. This IoT based platform planned to control HVAC i.e Heating, Ventilation and Cooling in any building, requires utilizing relevant environmental sensors and using suitable communication technology [7]. IoT devices which are the components of the IoT based platforms, can be used in the form of sensors, actuators, gateways or any other device that joins the cycle of data collection, transmission, and processing.

An IoT gateway enables of sending the data into the IoT system and establishing bi-directional communications between the device-to-gateway and hence the gateway-to-cloud. The communication protocols that are the third component of the IoT platform, enable the different devices to communicate and share their data with the controllers or the decision-making centres. IoT platforms offer the flexibility to select the type of the communication technologies, according to the needs of the application. The examples of these technologies include Wi-Fi, Bluetooth, ZigBee, LTE-4G and 5G networks. The data storage is the fourth component of the IoT platform which enables management of collected data from the sensors. In principle, the data collected from the devices is very large and disperse. This necessitates planning an efficient data storage that can be in cloud servers or at the edge of an IoT network. The stored data which is used for analytical purposes, forms the fifth component of the IoT platforms [1]. The data analytics can be performed off-line after storing the data or it can be, in form of real-time analytics. The data analytics is performed for making of any decisions about the operation of the application. Based on the need, the data analytics can be performed off-line or real-time. In off-line analytics, the stored data is first collected and then visualized on premises using visualization tools.

3. Problem Statement

Conventional cooling towers often operate with limited efficiency due to inadequate air flow and lack of adaptive control systems. Mechanical fans, when used, typically run continuous regardless of thermal demand, leading to unnecessary energy consumption. Furthermore, real time monitoring and operator notifications are absent in traditional designs, which can delay corrective action during performance drops or temperature surges. In modern industrial settings, there is a growing demand for intelligent, energy-efficient, and remotely accessible




Fig. 1 Working Cooling Tower

IJARIE

4. Methodology chart :




Fig. 2 Project Methodology

5. Conclusion

Intelligent Cooling tower efficiency enhancement combined with IoT integration represent modern, sustainable, and intelligent approach to improving industrial and HVAC cooling performance. Efficiency-enhancing methods—such as optimized fill media, high-efficiency fans, improved water distribution, and variable frequency drives—significantly reduce energy and water consumption while improving heat transfer and system reliability. When these upgrades paired with IoT technologies, the cooling tower becomes a smart, self-monitoring system capable of real-time performance tracking, automated control, and predictive maintenance. IoT-enabled cooling towers optimize operational parameters using live data, minimize downtime through early fault detection, and support remote monitoring, making them highly suitable for smart buildings, industrial plants, and data centers. Although challenges such as higher initial cost, integration complexity, and cybersecurity concerns exist, the long-term benefits—in efficiency, cost savings, sustainability, and operational reliability—far outweigh the drawbacks. Overall, the integration of efficiency enhancement techniques with IoT transforms traditional cooling towers into intelligent, energy-efficient, and future-ready systems that support modern industry demands and environmental sustainability.

6. References:

- Hernández-Baño, P., Molina-García, A., & Vera-García, F. (2024). Data-Monitoring Solution for Desalination Processes: Cooling Tower and Mechanical Vapor Compression Hybrid System. *Sensors*, 24(9), 2909. <https://www.mdpi.com/1424-8220/24/9/2909>
- Badriev, A. I. (2023). Investigation into Heterogeneity of Cooling Temperature in Evaporative Cooling Towers. *Engineering Proceedings*, 56(1), 167. <https://www.mdpi.com/2673-4591/56/1/167>
- Mujtaba, M.A., Munir, M.A., Akhtar, M., Mahmood, B., Ansar, T., Khawar, Z., Khalid, S., Basit, A., Jamil, Kalam, M.A., Hussain, F., & Bhowmik, C. (2025). Leveraging Machine Learning to Optimize Cooling Tower Efficiency for Sustainable Power Generation. *Frontiers in Energy Research*, 13b
- Xavier Lefebvre, Vaishali Ashok, Dominique Claveau-Mallet, Etienne Robert, Emilie Bedard. Data-Driven Cooling Tower Optimization: A Comprehensive Analysis of Energy Savings using Microsand Filtration. 40 *Advanced Sustainable Systems*. <https://arxiv.org/abs/2405.05346>
- Paula M. Wenzel, Eva Fensterle and Peter Radgen. (2023). Catalyzing Cooling Tower Efficiency: A Novel Energy Performance Indicator and Functional Unit including Climate and Cooling Demand Normalization. *Sustainability*, 15(21), 15454. <https://www.mdpi.com/2071-1050/15/21/15454>
- You-Shyang Chen, Ying-Hsun Hung, Mike Yau-Jung Lee, Jieh-Ren Chang, Chien-Ku Lin and Tai-Wen Wang. (2024). Improving the Quality of Cooling Water Towers' Conductivity Using a Fuzzy PID Control Model. *Mathematics*, 12(20), 3296. <https://www.mdpi.com/2227-7390/12/20/3296>
- Resquites, J.C.M., Parrocho, M.A., Vinegas, N., & Oquiño, V.H. (2023). IoT-Based Temperature Monitoring and Automatic Fan Control Using ESP32. *Iconic Research and Engineering Journals*, 7(5). <https://www.irejournals.com/paper-details/1705183>
- Vignesh, M., Rajeshwari, R., & Yuvanesh. (2025). Energy Optimization in Cooling Tower Systems Using Temperature-Based Control Mechanisms for Industrial Chiller Operations. *International Conference on the Nexus of Knowledge Using AI and IoT (ICNKAI-2025)*. <https://secp.prabodhanamfoundation.org/csn/index.php/csn-secp/article/view/26>
- Lingyun Xie, Kui Shan, Hong Tang, Shengwei Wang. (2025). AI-empowered online control optimization for enhanced efficiency and robustness of building central cooling systems. *Advances in Applied Energy* 18 (2025) 100220. <https://doi.org/10.1016/j.adapen.2025.100220>