

AUTISM SPECTRUM DISORDER IN MESENCHYMAL STEM CELL THERAPY : A REVIEW ARTICLE

Miss. Shweta S. Mule¹, Miss. Anuja S. Khilari², Mr. Harsha R. Shikhare³.

,Miss. Nilam M. Hadawale⁴, Mr. Dr. Santosh D. Ghule⁵,

Students, Samarth College of Pharmacy, Belhe-412410, Pune, Maharashtra, India.^{1,2,3}

Prf, Samarth College of Pharmacy, Belhe-412410, Pune, Maharashtra, India.⁴

Principal, Samarth College of Pharmacy, Belhe-412410, Pune, Maharashtra, India.⁵

ABSTRACT

An autism spectrum condition is a neurological condition characterized by cognitive factor communicating, repetitive or limited interests, and impairment in social action. The need for effective treatments for autism is a essential earliness for medicine search as Autism spectrum condition incidence rates rise rapidly. The current generation of drugs serves mainly as a palliative for undesirable behaviour; they do not treat major symptoms. Because of the rapid development of molecular and regenerative interventions, the medical profession has high hopes for stem cell transplantation. autism spectrum condition are characterized by three fundamental domains: chronic difficulties in social communication and interaction; constrained, repetitive patterns of behaviour, interests, or activities. The diseases of neurodevelopment that make up autism spectrum conditions are diverse and complicated, and they are characterized by clearly recognized inflammatory states and immune system dysfunction. Stem cells do in fact possess unique immunologic characteristics that make them attractive therapy options for Autism spectrum condition. This in-depth, current study concentrates on the cellular and molecular problems associated with Autism spectrum condition, as well as on the kinds of stem cells that may be effective, animal models, and ongoing clinical trials including the use of stem cells to treat autism. It also talks about limitations. peripheral ischemia addition to having beneficial effects in models, CD34+ cells from cord blood it have also been shown to be powerful androgenic stimulation. Children with autism who received CD34+ cells from cord blood improvements in anecdotal clinical situations are also showed. we suggest combining the use of MSC with CD34+ cells from cord blood For the treatment of autism.

Keyword : - Syndrome spectrum disorder, stem cell transplantation, Brain

1. INTRODUCTION

Autism spectrum condition is a developmental disease related to variation in the brain. Repetitive or limited behaviours or interests of individuals with Autism spectrum condition can make it difficult for them to interact socially and communicate. [1] Also, people with Autism spectrum condition can move, learn, or pay attention differently. Autism spectrum condition is a developmental illness due to variation in the brain Autism spectrum condition. Certain patients with Autism spectrum condition are known to as a abnormal condition, such as a genetic condition. About people may not carry, communicate, interact or find out the identical way that people with Autism spectrum condition do. [2] In almost cases, their disappearance non differentiate them from another. People with Autism spectrum condition can have comprehensive range of inability. [3] Unlike people with Autism spectrum condition some may be non-verbal, whereas different may have great conversation power. [4] While both human beings with Autism spectrum condition need widespread day by day assistance, others can feature independently and work. [5] start The signs of autism spectrum condition usually earlier than the age of three and can ultimate the relaxation of a person's life, but they can also get period with best. From the firstborn yr of living, few children get showing Autism spectrum condition evidence. Some other may

directly non ride indication for time period of 24 months or more. [6] Some Autism spectrum condition teenagers enhance new capabilities and attain biological process milestones leading until the age of time period 18 to 24 months, at which cause they leave doing so or suffer the power they early possessed. [7] Young and immature person with autism spectrum condition may in addition hostilities to make and taking hold friends, interact with friends and mature person, or ignore what is appropriate action in the place of business or at educational institution. [8] emotion, economic condition, or attention-deficit/hyperactivity They would potentially be determined by medical experts, which affect persons with Autism spectrum condition greater often than those exclusion Autism spectrum condition .[9] The most universal activity signs and symptoms of Autism spectrum condition encompass decreased social action, stereotyped or nonrepetitive action, and human activity condition. [10] Many environmental hazard factors, both genetical and non-genetical,the possibility of Autism spectrum have been linked . [11] Autism spectrum condition has additionally has been related with a wide variety of speech act conditions, along with immunological dysregulation, GI problems, and gut microbiota dysbiosis. [12] The majority of the ASD co-occurring symptoms are the center of attention of the presently on hand medicines for the administration of ASD. [13] Just two odd antipsychotics aripiprazole and risperidone have obtained FDA approval to date, regardless of having been established to be fantastically secure and efficient for the management of competitive or self-harmful behaviours, impatience, and damaged in autism spectrum condition patients.[14] a few of the additional medicinal drugs that have been used for the therapy of a range of Auism spectrum conditions symptoms like Antipsychotics, serotonin uptake activator, anticonvulsants, acetylcholinesterase inhibitors, glutamate antagonists, and psychostimulants . [15] Yet, none of the medications on the market are clearly useful for treating the essential symptoms and symptoms of Autism spectrum condition. [16] Due to the reality that these medicinal drugs can additionally purpose a quantity of unfavorable effects like weight gain, exhaustion, tremor, dizziness, drowsiness, constipation, vomit, etc. it is advised to appoint alternate, non-pharmacological techniques instead.One of the two most important signs of ASD is dysfunctional social human action, and the different is a closed range of repetitious behaviours, interests, or activities. ASD impacts greater than 1% of the popular population. [17] However, the most huge difficulty with autism is delivered on by means of the accompanying symptoms, which encompass irritability, anxiety, aggression, compulsions, emotional instability, digestive problems, depression, and sleep disorders. [18]

1.1 Reason for Autism spectrum condition -1

research propose that factor and environment play important roles Scientists but don't know the exact reason of Autism spectrum condition

Some one are beginning to pick out factor that can also expand the hazard for as Autism spectrum condition takes place greater regularly in humans who have positive genetical conditions, such as Fragile X symptom or stem pathology. [19][20] Some person are concentration various factor on how factor act with every different and with situation, such as family scientific situation, maternal age and another sociology cause, and problems in the course of beginning or maternity. [21][22] Presently, no scientific search have connected Autism spectrum condition and immunizing agent [23]

2. Symptoms -2

By 6 months:

There aren't many or any huge smiles or other warm, enthusiastic reactions. Little to no eye contact[24][25]

By 9 months

There has been little to no reciprocal joint of sounds, smiles, or other facial nerve emotions.[26]

By 12 months

Almost no voluble There is small to no back-and-forth motion, so much as pointing, demonstrating, reaching, or motion.[27]

By 16 months

no speech communication[28]

By 24 months

- no two-word phrases that are meaningful (not including imitating or repeating) at any age
- A persistent desire for solitude
- Waste of early learned talking , babble, or social ability
- Avoiding eye contact
- issue expertise other humans's feelingssssss
- delayed language improvement
- chronic repetition of words or phrases (echolalia)
- resistance to minor modifications in recurring or environment
- restrained interests
- Boring action (flutterin,shaking ,spinning, etc.)
- Abnormal and acute reactions to sound, smell, flavour appearance, lights, and/or colour[29]

2.1 Treatment-1

- Activity social control therapies
- Cognitive activity therapy
- Early intercession
- Learning and school-based therapies
- Concerted attraction therapy
- Medicament treatment
- Nutritional therapy
- Activity therapy
- Parent-mediated therapy
- Personal therapy
- Cultural ability training
- Language therapy [30]

3. Stem cell therapy-3

Influence of stem cell therapy for autism say that it can take down the characteristics of the condition [31] They say it can modify action, anxiousness, social skills, communicating, language, and the ability to focusing. [32] There's no distinct technological evidence that stem living thing therapy action the characteristics of autism. The normal stem cell therapy cost can limit anyplace between \$5000 and \$50,000.[33] [34] Patients must do their search and ask as many difficulty as they can before fiscal committing to attention. In hard cases, an autistic minor may never find out to speak up or kind eye physical contact[35] [36]. But some children with syndrome and other autism spectrum condition are able to living comparatively natural lives. [37] Stem cell or b connective tissue transplants are convoluted management that transport a fundamental danger of thoughtful obey. [38] It's essential that you're conscious of some the danger and realizable performance earlier management. You may wish to treat them with your management social unit and your home. [39]

Table -1 : different stem cells and related sources for the treatment of autism and their mechanisms of action

Types of somatic stem cell	Origin	Mode of action
Foetal somatic stem cell	Foetus, foetal body fluid, vascular structure, amniotic membrane, liquid body substance, and epithelial duct	Humour of neurotrophic cause Immunomodulatory capacities Development of proinflammatory processes.
Multipotent somatic stem cell	Connective tissue, epithelial duct	Paracrine bodily fluid of several anti-inflammatory drug and survival of the fittest-boost material Neuroprotective effects Hypoimmunogenic and immunological disorder .
Adipose-derived somatic stem cell	Animal tissue	Body fluid of living thing process factors Immunosuppressive drug and hypoimmunogenic personal effects
Epithelial duct- and amniotic liquid-derivative somatic stem cell	Epithelial duct, reproductive structure, and amniotic liquid	In vitro development production Reduced immunity and immunomodulation properties
Hematopoietic somatic stem cell	Liquid body substance, bone marrow, and epithelial duct	Paracrine humanlike activity
Embryonic somatic stem cell	Some cell adult	Adaption capacity

3.1 Autism Treatment through with mesenchymal stromal cell -1

mesenchymal stromal cell have a powerful, long immunosuppressant susceptibility. This exceptional belongings is mediate by oil-soluble element. mesenchymal stromal cell are healthy to suppress the development of cytotoxic T-lymphocytes and "helper T cells." T lymph cell and large granular lymphocytes cells, to inhibit the immunoglobulin exhibition by extracellular fluid , to suppress the growth of accessory cell , and to support the maturation of regulative T living thing. [41] It has been incontestable that mesenchymal stromal cell are also able to suppress T lymph cell proinflammatory cytokine human action in vitro as well as in vivo.[42] Their quality to play the immune plan of action opens a wide range of cell-mediated utilize, not alone for response difficulty and graft-versus-host disease. Due to the special individual system dysregulation determined in autism , mesenchymal stem cell transplant could offering a specific implement to supply improved physical phenomenon for this illness. So, in Autism spectrum condition pathological process, born and adaptative resistance modification have been reportable. CD3+, CD4+, and CD8+ T cells, and NK cells patient appearance in unbalance of autism spectrum condition . in addition of lymphocytes, monocytes, natural killer cells (NK cells) or dendritic cells extracted from Autism spectrum condition patients are able to over make IL-1, consequent in long condition modification. mesenchymal stromal cell mediate condition restrictive human activity could regenerate this condition balance (Figure 1). So, mesenchymal stromal cell immunoregulatory personal effects weakly suppress T-cell approval and increase away increasing T helper cells, monocytes, macrophages and dendritic cells inhibiting TNF- and INF- production .




Fig -1: mechanisms of action of mesenchymal stem cells in autism spectrum condition

3.2 Stem Cell Treatment for Autism-2

First Treatment of Autism in India: the current technology of Stem cell therapy is the to treat autism patients. First stem cell therapy for autism If you are looking for India, you are in the exact geographical area. Presently, alone a handful of treatment activity have been health facility authorized for treating autism spectrum conditions. Medicinal drug prescribed for autism treatment neglect to therapeutic the nucleus indication and sometimes equal harmful effects on the patient. A side from pharmaceutic, the secondary treatments for autism are based on activity treatments, dieting changes, and medicine approaching. product for the condition has been known to the No one therapy .




Fig -2: Stem Cell Treatment for Autism

4. CONCLUSIONS

Autism spectrum condition are a class of disorder characterized by damage in three field, viz. Human action, social emotional reciprocity, as well as behavior that are unrestricted and non-repetitive in causal agent.

Doctors show an essential theatrical role in the early determination of children with these conditions since they are the basic factor of physical contact and the start factor for referral to proper eye contact for further assessment and management. These conditions are growing in ratio, so doctors are many possible to fight them during their performance. Therefore, doctors are essential to be conscious of the shifting introduction of these conditions in ordering to determine affected children early and think of them inappropriately to differentiated Centre for assessment, counseling, and involvement. Moreover, doctor requirement to consciousness comfortable treatment with in the public eye concerns detail contentious conclusion close to the etiology and organization of these conditions.

5. REFERENCES

1. Bakola, Lizeta N., Nikolaos D. Rizos, and Athanasios Drigas. "ICTs For Emotional and Social Skills Development for Children with ADHD And ASD Co-existence." *Int. J. Emerg. Technol. Learn.* 14, no. 5 (2019): 122-131.
2. Lord, Catherine, and Rebecca M. Jones. "Annual Research Review: Re-thinking the classification of autism spectrum disorders." *Journal of Child Psychology and Psychiatry* 53, no. 5 (2012): 490-509.
3. Donnellan, Anne M., David A. Hill, and Martha R. Leary. "Rethinking autism: implications of sensory and movement differences for understanding and support." *Frontiers in integrative neuroscience* 6 (2013): 124.
4. Tager-Flusberg, H. and Kasari, C., 2013. Minimally verbal school-aged children with autism spectrum disorder: The neglected end of the spectrum. *Autism research*, 6(6), pp.468-478.
5. Rogers, S.J., 2009. What are infant siblings teaching us about autism in infancy?. *Autism research*, 2(3), pp.125-137.
6. Maestro, Sandra, Filippo Muratori, A. Cesari, M. C. Cavallaro, A. Paziente, C. Pecini, C. Grassi, A. Manfredi, and C. Sommaro. "Course of autism signs in the first year of life." *Psychopathology* 38, no. 1 (2005): 26-31.
7. Wegari, Hanchalu Geleta. "Early intervention assessment tools for children with various disabilities." (2023).
8. Schall, Carol M., and Jennifer Todd McDonough. "Autism spectrum disorders in adolescence and early adulthood: Characteristics and issues." *Journal of Vocational Rehabilitation* 32, no. 2 (2010): 81-88.
9. Cadman, T., Eklund, H., Howley, D., Hayward, H., Clarke, H., Findon, J., Xenitidis, K., Murphy, D., Asherson, P. and Glaser, K., 2012. Caregiver burden as people with autism spectrum disorder and attention-deficit/hyperactivity disorder transition into adolescence and adulthood in the United Kingdom. *Journal of the American Academy of Child & Adolescent Psychiatry*, 51(9), pp.879-888.
10. Sanchack, Kristian E., and Craig A. Thomas. "Autism spectrum disorder: Primary care principles." *American family physician* 94, no. 12 (2016): 972-979.
11. Lyall, Kristen, Rebecca J. Schmidt, and Irva Hertz-Picciotto. "Maternal lifestyle and environmental risk factors for autism spectrum disorders." *International journal of epidemiology* 43, no. 2 (2014): 443-464.
12. Kong, X., Liu, J., Cetinbas, M., Sadreyev, R., Koh, M., Huang, H., Adeseye, A., He, P., Zhu, J., Russell, H. and Hobbie, C., 2019. New and preliminary evidence on altered oral and gut microbiota in individuals with autism spectrum disorder (ASD): implications for ASD diagnosis and subtyping based on microbial biomarkers. *Nutrients*, 11(9), p.2128.
13. Rosen, Tamara E., Carla A. Mazefsky, Roma A. Vasa, and Matthew D. Lerner. "Co-occurring psychiatric conditions in autism spectrum disorder." *International review of psychiatry* 30, no. 1 (2018): 40-61.
14. Doyle, Carolyn A., and Christopher J. McDougale. "Pharmacologic treatments for the behavioral symptoms associated with autism spectrum disorders across the lifespan." *Dialogues in clinical neuroscience* (2022).
15. Kumar, Baldeep, Ajay Prakash, Rakesh K. Sewal, Bikash Medhi, and Manish Modi. "Drug therapy in autism: a present and future perspective." *Pharmacological Reports* 64, no. 6 (2012): 1291-1304.
16. Esposito, Dario, Arianna Belli, Raffaele Ferri, and Oliviero Bruni. "Sleeping without prescription: management of sleep disorders in children with autism with non-pharmacological interventions and over-the-counter treatments." *Brain Sciences* 10, no. 7 (2020): 441.
17. Jackson, Kenneth C., and Erin L. St. Onge. "Antidepressant pharmacotherapy: considerations for the pain clinician." *Pain Practice* 3, no. 2 (2003): 135-143.

18. Persico, A. M., Ricciardello, A., Lamberti, M., Turriziani, L., Cucinotta, F., Brogna, C., ... & Arango, C. (2021). The pediatric psychopharmacology of autism spectrum disorder: A systematic review-Part I: The past and the present. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 110, 110326.
19. Rutter, Michael. "Aetiology of autism: findings and questions." *Journal of Intellectual Disability Research* 49, no. 4 (2005): 231-238.
20. Sahin, Mustafa, and Mriganka Sur. "Genes, circuits, and precision therapies for autism and related neurodevelopmental disorders." *Science* 350, no. 6263 (2015): aab3897.
21. Laucht, Manfred, Günter Esser, Lioba Baving, Martin Gerhold, Ingrid Hoesch, Wolfgang Ihle, Petra Steigleider et al. "Behavioral sequelae of perinatal insults and early family adversity at 8 years of age." *Journal of the American Academy of Child & Adolescent Psychiatry* 39, no. 10 (2000): 1229-1237.
22. Tsuchiya, Kenji J., Majella Byrne, and Preben B. Mortensen. "Risk factors in relation to an emergence of bipolar disorder: a systematic review." *Bipolar disorders* 5, no. 4 (2003): 231-242.
23. Modabbernia, Amirhossein, Eva Velthorst, and Abraham Reichenberg. "Environmental risk factors for autism: an evidence-based review of systematic reviews and meta-analyses." *Molecular autism* 8.1 (2017): 1-16.
24. DeVito, J. A., O'Rourke, S., & O'Neill, L. (2000). *Human communication*. New York: Longman.
25. Puglisi, Becca, and Angela Ackerman. *The emotion thesaurus: A writer's guide to character expression*. Vol. 1. JADD Publishing, 2019.
26. Trevarthen, Colwyn. "Communication and cooperation in early infancy." *Before speech* (1979): 321-347.
27. Moore, Robert J., Nicolas Ducheneaut, and Eric Nickell. "Doing virtually nothing: Awareness and accountability in massively multiplayer online worlds." *Computer Supported Cooperative Work (CSCW)* 16 (2007): 265-305.
28. Lang, Russell, April Register, Stacy Lauderdale, Kristen Ashbaugh, and Anna Haring. "Treatment of anxiety in autism spectrum disorders using cognitive behaviour therapy: A systematic review." *Developmental neurorehabilitation* 13, no. 1 (2010): 53-63.
29. Roeltgen, D.P., Sevush, S. and Heilman, K.M., 1983. Phonological agraphia: Writing by the lexical-semantic route. *Neurology*, 33(6), pp.755-755.
30. Warren, Zachary, Jeremy Veenstra-VanderWeele, Wendy Stone, Jennifer L. Bruzek, Allison S. Nahmias, Jennifer H. Foss-Feig, Rebecca N. Jerome et al. "Therapies for children with autism spectrum disorders." (2011).
31. Qu, Jiayang, Zicai Liu, Lincai Li, Zhengwei Zou, Zhengyi He, Lin Zhou, Yaolin Luo, Minhong Zhang, and Junsong Ye. "Efficacy and Safety of Stem Cell Therapy in Children with Autism Spectrum Disorders: A Systematic Review and Meta-Analysis." *Frontiers in Pediatrics* 10 (2022).
32. Schlenker, Barry R., and Mark R. Leary. "Social anxiety and communication about the self." *Journal of Language and Social Psychology* 4, no. 3-4 (1985): 171-192.
33. Sandberg, Elisabeth Hollister, and Becky L. Spritz. *A brief guide to autism treatments*. Jessica Kingsley Publishers, 2012.
34. Lander, E.S., 2001. Initial impact of the sequencing of the human genome. *Nature*, 409(7333), pp.187-197.
35. Foxx, Ronald M. "Attention training: The use of overcorrection avoidance to increase the eye contact of autistic and retarded children." *Journal of Applied Behavior Analysis* 10.3 (1977): 489-499.
36. Hacking, Ian. "How we have been learning to talk about autism: A role for stories." *Metaphilosophy* 40, no. 3-4 (2009): 499-516.
37. Howlin, Patricia, and Philippa Moss. "Adults with autism spectrum disorders." *The Canadian Journal of Psychiatry* 57.5 (2012): 275-283.
38. Ljungman, P., Urbano-Ispizua, A., Cavazzana-Calvo, M., Demirer, T., Dini, G., Einsele, H. F., ... & Apperley, J. (2006). Allogeneic and autologous transplantation for haematological diseases, solid tumours and immune disorders: definitions and current practice in Europe. *Bone marrow transplantation*, 37(5), 439-449.