

# Mouth Preparation in Fixed Partial Dentures: A Comprehensive Review

Dr.Sudha rani. P,<sup>1</sup> Dr.LakshmanaRao Bathala,<sup>2</sup> Dr.Sudheer Kondaka,<sup>3</sup> Dr. Puvvada Venkata Vaibhav ,<sup>4</sup> Dr. P. Ravi Teja.<sup>5</sup>

*1.Post Graduate Student, Dept of Prosthodontics, Lenora Institute of Dental Sciences, Rajahmundry, Andhra Pradesh, India.*

*2. Prof & HOD, Dept of Prosthodontics, Lenora Institute of Dental Sciences, Rajahmundry, Andhra Pradesh, India.*

*3.Professor, Dept of Prosthodontics, Lenora Institute of Dental Sciences, Rajahmundry, Andhra Pradesh, India.*

*4. Post Graduate Student, Dept of Prosthodontics, Lenora Institute of Dental Sciences, Rajahmundry, Andhra Pradesh, India.*

*5. Post Graduate Student, Dept of Prosthodontics, Lenora Institute of Dental Sciences, Rajahmundry, Andhra Pradesh, India.*

## Abstract

*Mouth preparation is a crucial step in the fabrication of fixed partial dentures (FPDs) in prosthodontics. Proper preparation ensures the success, longevity, and function of the prosthesis. This review discusses the various steps involved in mouth preparation for FPDs, including preliminary procedures, abutment evaluation, tooth preparation, and tissue management. The article also highlights the importance of occlusal considerations and biomechanical principles that influence the preparation process.*

## Introduction

Fixed partial dentures are an essential component of prosthodontic treatment, restoring function and esthetics in partially edentulous patients. The foundation of a successful FPD lies in meticulous mouth preparation, which ensures proper support, retention, and longevity of the prosthesis. This article reviews the detailed steps involved in mouth preparation for FPDs, considering both biological and mechanical aspects.

## Preliminary Considerations

1. **Comprehensive Examination:** A thorough clinical and radiographic assessment is necessary to evaluate the patient's oral health, including periodontal status, caries risk, and occlusion.
2. **Diagnostic Casts and Wax-up:** Fabrication of diagnostic casts and a diagnostic wax-up help in treatment planning and visualization of the final prosthesis.
3. **Periodontal Treatment:** Scaling, root planing, and necessary periodontal surgeries are performed to ensure a healthy foundation.

4. **Caries Control and Restorations:** Existing carious lesions should be treated, and defective restorations replaced.
5. **Endodontic Considerations:** Teeth requiring root canal treatment should be identified and treated before preparation.

## Steps in Mouth Preparation for FPDs

### 1. Selection and Evaluation of Abutment Teeth

- The abutment teeth should have adequate periodontal support, favorable crown-to-root ratio, and proper alignment.
- Biomechanical factors such as the Ante's Law should be considered to ensure proper distribution of forces.

### 2. Occlusal Evaluation and Adjustment

- Occlusal interferences should be identified and eliminated before tooth preparation.
- A stable occlusion should be maintained to prevent excessive forces on the prosthesis.

### 3. Tooth Preparation a. Reduction Guidelines:

- **Occlusal Reduction:** Provides sufficient space for the restorative material while maintaining occlusal harmony.
- **Axial Reduction:** Ensures adequate thickness for the prosthetic material without excessive weakening of the tooth structure.
- **Functional Cusp Bevel:** Enhances strength and prevents premature contact.

#### b. Margin Design:

- **Chamfer:** Recommended for metal-ceramic restorations.
- **Shoulder:** Ideal for all-ceramic crowns to provide maximum strength.
- **Feather Edge:** Used in specific clinical situations but not commonly preferred due to insufficient bulk.

#### c. Taper and Retention:

- Ideal taper should be between 6-10 degrees to enhance retention and resistance.
- Proper height and surface area of the abutments contribute to mechanical retention.

#### d. Finishing and Smoothing:

- Sharp edges should be rounded to prevent stress concentration and enhance the fit of the prosthesis.

### 4. Soft Tissue Management

- Gingival displacement techniques such as cord packing or laser use are essential for accurate impressions.
- Proper tissue health ensures an accurate fit and longevity of the restoration.

### 5. Impression Making

- Elastomeric impression materials such as polyvinyl siloxane (PVS) are preferred for precision.

- Digital impressions are increasingly being used to improve accuracy and efficiency.

#### 6. Provisionalization

- Provisional restorations protect the prepared teeth and maintain function and esthetics until the final prosthesis is fabricated.
- They also allow for assessment of occlusion, phonetics, and patient adaptation.

#### 7. Finalization and Cementation

- Try-in procedures ensure the fit, occlusion, and esthetics of the prosthesis before final cementation.
- Proper selection of luting agents enhances the longevity and retention of the restoration.

### Conclusion

Mouth preparation is a fundamental step in the fabrication of fixed partial dentures, requiring a meticulous approach to ensure the long-term success of the prosthesis. Proper selection of abutment teeth, careful tooth preparation, and effective soft tissue management contribute to achieving optimal function, esthetics, and durability. Advances in digital impressions, CAD/CAM technology, and contemporary biomaterials continue to enhance precision and patient outcomes. A thorough understanding of biomechanical principles and clinical techniques is essential for successful FPD treatment.

### References

1. Shillingburg HT, Hobo S, Whitsett LD, Jacobi R, Brackett SE. *Fundamentals of Fixed Prosthodontics*. 4th ed. Chicago: Quintessence Publishing; 2012.
2. Rosenstiel SF, Land MF, Fujimoto J. *Contemporary Fixed Prosthodontics*. 5th ed. St. Louis: Elsevier; 2015.
3. Goodacre CJ, Campagni WV, Aquilino SA. Tooth preparations for complete crowns: an art form based on scientific principles. *J Prosthet Dent*. 2001;85(4):363-376.
4. Smith BG, Howe LC. *Planning and making crowns and bridges*. 4th ed. London: Informa Healthcare; 2007.
5. Magne P, Belser UC. *Bonded Porcelain Restorations in the Anterior Dentition: A Biomimetic Approach*. Chicago: Quintessence Publishing; 2002.
6. Spear FM, Kokich VG, Mathews DP. Interdisciplinary management of anterior dental esthetics. *J Am Dent Assoc*. 2006;137(2):160-169.
7. Parker MH. The cantilever fixed partial denture. *J Prosthet Dent*. 2003;90(3):225-227.
8. Shillingburg HT, Sather DA, Wilson EL, Cain JR, Mitchell DL, Blanco LJ, Kessler JC. *Fundamentals of Tooth Preparations for Cast Metal and Porcelain Restorations*. 3rd ed. Chicago: Quintessence Publishing; 2012.
9. Malament KA, Socransky SS. Survival of Dicor glass-ceramic dental restorations over 20 years: Part IV. The effects of combinations of variables. *J Prosthet Dent*. 2001;86(5):511-518.
10. Donovan TE, Chee WW. A review of contemporary impression materials and techniques. *Dent Clin North Am*. 2004;48(2):445-470.
11. Pameijer CH. A review of luting agents. *Int J Dent*. 2012;2012:752861.
12. Wassell RW, Walls AW, Steele JG. Crowns and other extra-coronal restorations: Provisional restorations. *Br Dent J*. 2002;192(11):619-626.

13. Mizrahi B. The anterior all-ceramic crown: a rationale for the choice of ceramic and cement. *Br Dent J.* 2008;205(5):251-255.
14. Miyazaki T, Hotta Y, Kunii J, Kuriyama S, Tamaki Y. A review of dental CAD/CAM: current status and future perspectives from 20 years of experience. *Dent Mater J.* 2009;28(1):44-56.
15. Fasbinder DJ. Digital dentistry: innovation for restorative treatment. *Compend Contin Educ Dent.* 2010;31 Spec No 2:2-11.
16. Sailer I, Fehér A, Filser F, Gauckler LJ, Lüthy H, Hammerle CH. Five-year clinical results of zirconia frameworks for posterior fixed partial dentures. *Int J Prosthodont.* 2007;20(4):383-388.
17. Raigrodski AJ. Contemporary materials and technologies for all-ceramic fixed partial dentures: a review of the literature. *J Prosthet Dent.* 2004;92(6):557-562.
18. Pjetursson BE, Tan K, Lang NP, Brägger U, Egger M, Zwahlen M. A systematic review of the survival and complication rates of fixed partial dentures (FPDs) after an observation period of at least 5 years. II. Combined tooth-implant-supported FPDs. *Clin Oral Implants Res.* 2004;15(6):643-653.
19. Sailer I, Makarov NA, Thoma DS, Zwahlen M, Pjetursson BE. All-ceramic or metal-ceramic tooth-supported fixed dental prostheses (FDPs)? A systematic review of the survival and complication rates. Part I: Single crowns (SCs). *Dent Mater.* 2015;31(6):603-623.
20. Fasbinder DJ. Clinical performance of chairside CAD/CAM restorations. *J Am Dent Assoc.* 2006;137 Suppl:22S-31S.

